## INDEX TO VOLUME XL.

New generic, specific and subspecific names are printed in heavy face type.]

ABBOTT, Charles L., notice of his 'What Comes from What?' 356

Abbott, Wm. L., Cuban birds collected by, 549.

Acanthis hornemanni exilipes, 101. linaria linaria, 503.

Acanthiza, 170.

Acanthornis, 155.

Accipiter cooperi, 455, 497.
nisus, 253.
striatus venator, 472.
velox, 100, 221, 455, 482, 497,

656. Ascipitridae, 517.

Acridotheres tristis, 328.

Actitis macularia, 481, 496, 623, 656.

Adams, C. C., notice of his 'Relation of Wild Life to the Public,' 552.

Acchmophorus occidentalis, 526.
Accithalos caudatus kiusiuensis,
313.

c. shimokoriyamae, 312.

Actonautes melanoleucus, 458. Actrelata chionophara, 157. Acthiopsar cristatellus, 681.

Asthostoma rostrata aethalea, 161. r. paganica, 161.

Africa, birds of, 152, 159, 173, 331, 333, 554.

Aplaius phoeniceus aciculatus, 522.

p. floridanus, 676. p. neutralis, 461.

p. nevadensis, 522.

p. phoeniceus, 127, 502, 696.

p. predatorius, 485. xanthomus, 477.

Ahrens, Theodor G., bird banding and bird migration work at Rossitten on the Baltic Sea, 247–256. Aimophila ruficeps canescens, 165, 681.

Aix sponsa, 339, 480, 494, 650.

Ajaia ajaja, 670.

Alabama, birds of, 133.

Alaska, birds of, 419-423.

Albatross, American Sooty, 514.

Albatrosses, 596.
Alberta, birds of, 324, 577.

Alca torda, 135, 317, 336, 565.

Alcippe, 160.

Alcippornis, 160.

brunneicauda eriphaea, 160.

Algeria, birds of, 556.

Alle alle, 317.

Allen, E. G., notice of her 'Winter Birds—a Bird Masque,' 708.

Allen, Francis H., group variation and bird song, 643-648.

Aluco pratincola, 100, 518.

Amandava melpoda, 477.

Amandina fasciata furensis, 562.

Amazilia, 521. tzacatl tzacatl, 521.

yucatanensis chalconota, 512. salvini, 521.

Amazona, 297.

American Museum, bird collection of the, 159.

A. O. U. Check-List of North American Birds, Eighteenth supplement to, 513-525.

A. O. U., eighth annual list of proposed changes in the 'Check-List' of the, 677-682.

A. O. U., stated meeting of, at Cambridge, Mass., 572. Amizilis, 521.

yucatanensis, 521.

Ammodramus savannarum australis, 504.

Ammoperdix, 567.

Anas fulvigula maculosa, 669. platyrhynchos, 97, 493. p. platyrhynchos, 480. rubripes, 493, 624,

r. tristis, 97.

Anatidae, 69-80, 317.

Andigena nigrirostris, 290.

Andropadus gracilis extremus, 173. Anhinga, 669.

anhinga, 669.

Ani, 474.

Anser albifrons, 219.

a. gambeli, 77.

Anthracothorax viridis, 475. aurulentus, 475.

Anthus rubescens, 85-87, 105, 138, 466, 511, 663.

Antrostomus vociferus vociferus, 500, 534.

Anuropsis malaccensis drymodrama, 161.

m. driophila, 161.

m. docima, 161.

Apaloderma narina, 554.

n. brachyurum, 554. Aphelocoma woodhousei, 460.

Aphriza virgata, 220.

'Aquila,' reviewed, 368.

Aquila chrysaetos, 455, 680.

c. canadensis, 680.

Ara ararauna, 295, 297.

Aramus vociferus holostictus, 678. Archibuteo ferruginea, 701.

> lagopus sancti-johannis, 498, 547.

Archilochus colubris, 143, 483, 458,

'Ardea,' reviewed, 365, 565, 713.

Ardea herodias adoxa, 471.

h. fannini, 220.

Ardea h. herodias, 98, 481, 324, 495, 671.

h. sanctilucae, 516.

h. treganzai, 515.

h. hyperonca, 515.

Arenaria interpres morinella, 100, 473.

Argentina, birds of, 553.

Argusianus, 344.

bipunctatus, 345.

Argya aylmeri loveridgei, 563.

Arizona, birds of, 393-409, 584. Arnold, Wm. W., obituary, 574.

Arquatella maritima couesi, 678.

m. ptilocnemis, 678. ptilocnemis, 678.

p. couesi, 678.

Arremonops, 551.

chloronotus, 551.

conirostris, 551.

c. umbrinus, 551.

superciliaris, 551.

striaticeps, 551.

rufivirgatus, 551.

tocuyensis, 551.

verticalis, 551.

ptilocnemis, 678.

Arremon aurantiirostris strictocollaris, 354.

Asio accipitrinus, 499.

flammeus, 30-36, 383-393, 656. otus wilsonianus, 680. wilsonianus, 124, 498, 533, 680.

Astragalinus lawrencei, 588.

psaltria psaltria, 462. tristis tristis, 143, 485, 503.

Astur atricapillus atricapillus, 498, 532.

gentilis poecilopterus, 551.

g. dubius, 551.

g. gallinarum, 551.

Asyndesmus lewisi, 458.

Atlantisia rogersi, 711.

Atthis morcomi, 521.

heloisa morcomi, 521.

Audubon Society of Western Pennsylvania, review of 'Bulletin,' 708.

'Auk, The,' 716.

Auk, Little, 317.

Razor-billed, 135, 317, 336.

Auklet, Rhinoceros, 219.

Australia, birds of, 155, 349, 352, 705.

'Austral Avian Record, The,' reviewed, 170, 363.

Austrartamus melanops normani,

Austria-Hungary, birds of, 705. 'Avicultural Magazine, The,' re-

viewed, 362, 563, 712. Avocet, 321.

Ayers, Douglas, notes from St. Lawrence Co., N. Y., 337.

BAEOLOPHUS bicolor, 340, 414. inornatus griseus, 468.

Bagg, Aaron C., the Connecticut Valley—a highway for bird migration, 256-275.

Bailey, Florence Merriam, notable migrants not seen at our Arizona bird table, 393–409.

Baird, Spencer F., commemoration of the centennial of the birth of, 378.

Baird Ornithological Club, annual meeting, 381.

Baldpate, 97.

Bancroft, Wilder D., Chamot, E.
M., Merritt, Ernest and
Mason, C. W., blue feathers,
275-300; criticism of their
'Blue Feathers,' 569.

Bangs, Outram, and Barbour, Thomas, notice of their 'Birds from Darien,' 157.

Bangs, Outram, and Penard, Thos. E., notice of their 'A New Merops from Java,' 552; 'A New Bulbul from Fukien, China,' 553. Bannerman, David A., review of his 'Birds of Southern Nigeria,' 152; notice of his 'On the Emerald and Golden Cuckoos of Africa,' 152.

Barbados, birds of, 128.

Barbour, Thomas, review of his 'Birds of Cuba,' 548; see also Bangs, Outram.

Barnard, Job, obituary, 376.

Barrows, Walter B., obituary, 376. Bartramia longicauda, 141, 339, 496, 473.

Basilinna leucotis, 681. melanotus, 681.

Beck, H. H., a Blue Grosbeak family in Southern Pennsylvania, 697.

Bedell, Edgar, Double-crested Cormorant at Waterford, N. Y., 317; Short-billed Marsh Wren at Waterford, N. Y., 700.

Beebe, William, review of his 'Monograph of the Pheasants Vol. IV.,' 344; personal mention, 723.

Belonopterus cayannensis, 122.

Bent, Arthur Cleveland, review of his 'Life Histories of North American Petrels and Pelicans and their Allies,' 149; review of his 'Life Histories of North American Wild Fowl,' 702.

Bequaert, J., notice of his 'The Predaceous Enemies of Ants,' 162.

Berg, Bengt, personal mention, 576. Bergtold, W. H., another Calaveras Warbler in Colorado, 334.

Bird-banding, 224–240, 247–256, 436–441, 442–452, 554.

Bird Censuses, 704.

'Bird-Lore,' reviewed, 163, 357, 560, 708; see also 716.

Bird Protection, papers on, 370.

Bishop, S. C., notes on New York birds, 336.

Bittern, American, 98, 336, 480, 494, 471.

Least, 471, 495, 671.

Blacicus blancoi, 475.

Blackbird, Brewer's, 461, 659.

European, 231.

Kern Red-winged, 522.

Nevada Red-winged, 522.

Porto Rican, 477.

Red-winged, 127, 485, 502, 696.

Rusty, 101, 502.

Yellow-headed, 461 695.

Yellow-shouldered, 477.

Bluebird, 489, 513, 547, 677. Chestnut-backed, 469.

Mountain, 469, 665.

Bobolink, 502, 659.

Bobwhite, 323, 497.

Florida, 674.

Bolivia, birds of, 354.

Bombycilla cedrorum, 143, 487, 507, 662, 701.

garrula, 340, 507.

Bonaparte, C. L., note on his 'American Ornithology,' 341.

Bonasa umbellus thayeri, 517.

u. togata, 481, 497.

u. vukonensis, 517.

Bonhote, J. L. J., obituary, 720.

Booby, 470.

Red-footed, 470.

Botaurus lentiginosus, 98, 336, 471,

Boulton, William B., obituary, 378.

Brachyramphus marmoratus, 219.

Brant, 77.

Branta bernicla glaucogastra, 77. canadensis, 77.

c. canadensis, 98, 356, 494.

c. subsp.?, 220.

hutchinsi, 356.

leucopsis, 528.

minima, 356.

occidentalis, 356.

Brazil, birds of, 156, 354, 355.

Bretscher, K., notice of his 'Bird Migration in Central Europe,' 353.

'British Birds,' reviewed, 168, 362, 563, 712.

British Columbia, birds of, 217-224, 553, 566, 701.

British Ornithologists' Club, review of 'Bulletin,' 168, 361, 562, 711.

Brockway, Arthur W., nesting of the Junco (Junco hyemalis hyemalis) in southern Connecticut, 330.

Brooks, Allan, notes on the birds of Porcher Island, B. C., 217-224; some recent records for British Columbia, 700.

Brooks, W. Sprague, an interesting adaptation, 122.

Brown, Nathan Clifford, the standing of the Lapland Longspur in Maine, 131.

Bubo virginianus icelus, 519.

v. lagophonus, 519.

v. neochorus, 519.

v. occidentalis, 519.

v. pallescens, 456, 657.

v. virginianus, 499.

Bucephala, 349.

Bufflehead, 72, 98, 494, 650.

Bulweria, 600.

Bunting, Indigo, 506.

Lark, 464.

Lazuli, 464, 661.

Snow, 504.

Burhinus magnirostris, 564.

Burleigh, Thomas D., Notes on the breeding birds of Clark's Fork, Bonner County, Idaho, 653-665.

Burtch, Verdi, Red Squirrel eating young Hairy Woodpecker, 340; some notes on the birds of the Branchport, N. Y., region, in 1922, 649-652. Buteo abbreviatus, 680.

albonotatus albonotatus, 680.

horealis, 472.

borealis subsp.?, 221.

b. alascensis, 325.

b. borealis, 498.

b. calurus, 325, 455, 656.

b. lucasanus, 680.

ferrugineus, 680.

lineatus lineatus, 498.

l. texanus, 518.

platypterus platypterus, 100,

482, 498.

regalis, 680.

rufescentior, 325.

swainsoni, 546.

Buteonidae, 517.

Butorides virescens, 297, 324.

v. cubanus, 470.

v. virescens, 98, 122, 495, 673.

CACOMANTIS, 564.

Calamospiza melanocorvs, 464.

Calcarius lapponicus lapponicus, 131.

pietus, 339.

Calidris, 155, 516.

canutus, 516.

California, birds of, 90-94, 350, 368, 553, 584,

Callipepla squamata pallida, 517.

s. squamata, 454, 517.

Calliste lavinia, 289, 292, 297. thoracica, 297.

Calonectris kuhlii kuhlii, 678.

Canachites canadensis atratus, 679.

c. canace, 481, 497. franklini, 656.

Canutus canutus, 99.

Canvasback, 70.

Capella, 550.

Cardinal, The, noticed, 381, 710.

Cardinal, 414, 445, 506, 539, 590,

676.

Arizona, 401.

Cardinalis cardinalis cardinalis, 414. 506, 676,

c. superbus, 590.

Carpodacus cassini, 660.

mexicanus frontalis, 462.

purpureus purpureus, 101, 136, 233, 337, 485, 503,

Carriker, M. A., Jr., see Todd, W. E. Clyde.

Carter, Charles M., obituary, 183.

Carter, T. Donald and Howland, R. H., a Brewster's Warbler and

his brood, 423-430. Casmerodius egretta, 141, 470, 672.

'Cassinia,' noticed, 710.

Cassowary, 633.

Casuarius australis, 633.

papuanus, 633.

Catbird, 467, 488, 511, 603, 664.

Cathartes aura, 310.

a. aura, 471, 679.

a. septentrionalis, 147, 324, 455, 481, 497, 674, 679.

Catherpes mexicanus conspersus,

Catoptrophorus semipalmatus semipalmatus, 473.

Cepphus columba, 219.

Cerchneis, 518.

sparveria paula, 518.

s. peninsularis, 518.

s. phalaena, 518.

s. sparveria, 482, 518.

sparverioides, 518.

tinnunculus, 518.

Cerorhinca monocerata, 219.

Certhia familiaris americana, 511.

f. montana, 467.

Ceryle alcyon alcyon, 143, 457, 475, 499, 657, 675.

a. caurinus, 222.

Chaetura pelagria, 483, 500.

picina, 160.

vauxi, 588, 658.

Chaffinch, 253.

Chalcurus, 344.

Chalybura buffoni micans, 158. Chamaepelia passerina, 160.

Chamot, E. M., see Bancroft, W. D. Chance, Edgar, the Cuckoo's egg laying, 181.

Chapman, F. M., notice of his 'The Department of Birds, A-merican Museum, Its History and Aims,' 159; review of his 'The Distribution of the Motmots of the Genus Momotus,' 555; notice of his 'New Birds from Panama, Venezuela, Ecuador, Peru and Bolivia,' 555; notice of his 'New Formicariidae and Dendrocolaptidae,' 707.

Chapin, James P., Pseudospermestes not a valid genus, 331; Phyllanthus czarnikowi O.-Grant synonymous with P. bohndorffi (Sharpe), 333; review of his 'The Species and Geographic Races of Steganura,' 159; review of his 'Notes on Some Birds of Tropical Africa,' 554; review of his 'Ecological Aspects of Bird Distribution in Tropical Africa,' 554; notice of his 'The Crested Guinea Fowl of the Southern Congo Basin,' 555.

Charadrius alexandrinus nivosus,

679.
a. tenuirostris, 679.
melodus, 691.
nivosus nivosus, 679.
n. tenuirostris, 679.
semipalmatus, 100, 472, 496, 548.

Charitonetta albeola, 72, 98, 494, 650.

Chat, Long-tailed, 393, 466, 663. Yellow-breasted, 140, 510.

Chaulelasmus streperus, 97, 339.

Chen caerulescens, 77. hyperboreus, 77, 529.

h. nivalis, 529, 690.

Cherrie, George K., and Reichenberger, Mrs. E. M. B., notice of their 'Proposed New Birds from Brazil and Paraguay,' 355.

Chickadee, 489, 512.

Carolina, 144. Chestnut-backed, 223, 664. Hudsonian, 512.

Long-tailed, 664.

Mountain, 468, 664.
Childs, Henry E., a Dickeissel in
Rhode Island in winter, 330.

China, 553.

Chisholm, Alec H., review of his 'Mateship with Birds,' 352.

Chlidonias, 550. nigra surinamensis, 474, 547, 650.

Chloroceryle, 519.

americana septentrionalis, 520. Chlorophones spiza arguta, 158.

Chlorospingus canigularis conspicillatus, 354.

Chlorostilbon maugoei, 475.

Chondestes grammacus grammacus, 339.

g. strigatus, 463.

Chordeiles acutipennis inferior, 521. minor virginianus, 483, 500. virginianus chapmani, 675.

v. henryi, 458.

v. hesperus, 657.

v. minor, 475.

Chrysococcyx, 152.

Chrysolophus, 344.

Chrysomitris spinus, 253.

Cinclus mexicanus unicolor, 223, 466, 667.

Circus cyaneus hudsonius, 482. hudsonius, 147, 497.

Cissolopha yucatanica, 295. Cistothorus stellaris, 652, 700.

Clangula clangula americana, 72, 98.

hyemalis, 494, 651. islandica, 72.

Coale, Henry K., a new subspecies of the Little Black Rail, 88-90.

Coccyzus americanus americanus, 499.

a. occidentalis, 457.

erythrophthalmus, 101, 143, 499.

minor minor, 524.

m. maynardi, 524.

minor nesiotes, 474.

Cockerell, T. D. A., notice of his 'The Supposed Plumage of the Eocene Bird Diatryma,' 555.

Coereba oblita, 553.

portoricensis, 477.

Colaptes auratus auratus, 675.

a. borealis, 521.

a. luteus, 101, 222, 483, 500. cafer collaris, 458, 521, 657.

c. saturatior, 222, 521.

Colinus virginianus floridanus, 674. v. virginianus, 323, 497.

Colluricincla harmonica kingi, 557.

Coloeus monedula, 253.

Colombia, birds of, 342, 354.

Colorado, birds of, 133, 334.

Coloration, 275-300.

Columba fasciata fasciata, 455.

leucocephala, 474. livia, 707.

squamosa, 474.

Colymbus, 147.

auritus, 546, 492.

dominicus dominicus, 469.

holboelli, 336, 339, 492. nigricollis californicus, 454.

Comeau, Nap A., Wheatear at Godbout, Quebec, 544; notes on the diving of Loons and Ducks, 525.

Compsothlypis americana usneae, 103, 477, 508.

'Condor, The,' reviewed, 164, 165, 357, 358, 561, 709.

Condor, 310.

Connecticut, birds of, 256-275, 330, 533.

Conservation, 352, 552.

Cooke, May T., review of her 'Report on Bird Censuses in the United States,' 704.

Coot, 98, 472, 495.

Copsychus saularis, subspp.

Coracias indica, 294, 295.

Coragyps foetens, 310.

urubu, 674.

Cormorant, Double-crested, 317. Mexican, 669.

Corvus brachyrhynchos brachyrhynchos, 101, 485, 502.

b. caurinus, 522.

b. hesperus, 460, 659.

b. paulus, 522.

caurinus, 522, 222.

corax eurephilus, 485.

c. principalis, 127, 222, 547.

c. sinuatus, 460.

cornix, 253.

frugilegus, 253.

Costa Rica, birds of, 354.

Cotinga, 285, 286.

Coturnicops noveboracensis, 495, 546.

Coturniculus savannarum intricatus, 478.

Cowbird, 101, 127, 461, 485, 502, 659, 676, 696.

Glossy, 128.

Crabb, Edward D., a note on the economic status of the Bald Eagle in Alaska, 419-423; the Red-naped Sapsucker in Oklahoma, 534; notes on the nesting of a pair of Dickeissels, Spiza americana, 606-609.

Crane, Sandhill, 495, 673.

Whooping, 121, 639, 692. Craspedoprion olivaceus badius,

158. Creciscus jamaicensis coturniculus,

eciscus jamaicensis coturniculus 88–90.

I

Creciscus j. jamaicensis, 88-90, 319. j. stoddardi, 88-90, 319.

Creeper, Brown, 511.

Rocky Mountain, 467.

Porto Rican Honey, 477. Crinifer africanus obscuratus, 565

Crinifer africanus obscuratus, 565. Crocethia, 155.

alba, 473.

Crosby, Maunsell S., supplementary notes on the birds of Dutchess County, N. Y., 94-105.

Crosby, M. S., Frost, Allen and Griscom, Ludlow, Blue-gray Gnatcatcher in Dutchess County, N. Y., 544.

Crossbill, American, 503, 547.

European, 253.

Newfoundland, 522.

Red, 222, 660.

White-winged, 503, 547.

Crotophaga ani, 160, 474.

Crow, 101, 327, 356, 485, 502.

Hooded, 253.

Southern, 522.

Northwestern, 222.

Western, 460, 659.

Cryptoglaux acadica acadica, 100, 499.

a. brooksi, 518.

a. scotaea, 524.

funerea funerea, 680.

f. magna, 680.

f. richardsoni, 325, 326, 336, 693.

richardsoni richardsoni, 499.

Cuba, birds of, 548.

Cuckoo, 181, 415.

Black-billed ,101, 143, 499 ,556.

California, 457.

Mangrove, 474.

Vieillot's, 474.

Yellow-billed, 499.

Curlew, Hudsonian, 146, 309, 321. Cyanocephalus cyanocephalus, 461.

Cyanocitta cristata, 295.

c. bromia, 484, 501.

Cyanocitta stelleri annectens, 222, 659.

s. carbonacea, 165.

s. diademata, 459.

Cyanocompsa, 58-69. cyanea argentina, 64.

c. cyanea, 65.

c. minor, 66.

c. poliogastris, 64.

cyanoides caerulescens, 61.

c. concreta, 61.

c. cyanoides, 62.

c. rothschildii, 63.

parellina boneplacita, 68.

p. indigotica, 68.

p. parellina, 67.

Cyanocorax, 290, 295.

Cyanoderma erythroptera eripella, 161.

e. apega, 161.

Cyanospiza cyanea, 506.

Cygnus cygnus, 515.

columbianus, 515.

buccinator, 515.

olor, 98.

Cymindes sociabilis, 679.

Cynanthus, 521.

Cyornis anak, 369, 567.

Cypseloides niger borealis, 222.

Cyrenaica, birds of, 556.

Dafila acuta, 97, 493, 514.

a. tzitzihoa, 514.

Daption, 600, 601.

Deane, R., obituary of Charles M. Carter, 183; the Tree Swallow (*Iridoprocne bicolor*) affected by sudden cold, 332; extracts from the field notes of George B. Sennett, 626-633.

Delaware Valley Ornithological Club, annual meeting of, 380; review of proceedings, 710.

De Lury, Ralph E., arrival of birds in relation to sunspots, 414-419. Dendragapus obscurus flemingi, 517.

o. munroi, 553.

o. obscurus, 454.

o. sitkensis, 220.

Dendrocygna autumnalis, 471.

bicolor, 347, 682.

b. helva, 682.

fulva, 347.

guttata, 347.

guttulata, 347.

Dendroica adelaidae, 476.

aestiva aestiva, 137, 465, 508,

663.

a. brewsteri, 588.

a. rubiginosa, 223.

auduboni auduboni, 465, 663.

caerulescens caerulescens, 143, 477, 487, 509.

castanea, 104, 133, 143, 509, 543, 699.

cerulea, 104, 138, 340.

coronata, 103, 340, 477, 487,

509.

c. hooveri, 523.

discolor, 477.

dominica dominica, 476.

fusca, 104, 487, 509.

graciae, 466.

maculosa, 487, 509.

magnolia, 143.

nigrescens, 466.

occidentalis, 588. palmarum palmarum, 104, 652.

pensylvanica, 487, 509.

petechia bartholemica, 477.

pinus chrysoleuca, 553.

striata, 144, 476, 509.

tigrina, 103, 477, 508.

townsendi, 663. vigorsi, 488, 509.

v. vigorsi, 104.

virens, 104, 509, 144.

v. virens, 488.

Diaphorella modestus obscurior,

Diatryma filifera, 555.

Dickcissel, 138, 330, 541, 606, 676, 701.

Dickey, Donald R., description of a new Clapper Rail from the

Colorado River valley, 90-94.

Dingle, E. von S., Bewick's Wren in Clarendon County, S. C., 544.

Diomedea, 596, 600.

Diomedeidae, 597.

Dipper, 223, 466, 663.

Distribution, 707.

District of Columbia, birds of, 130. Dolichonyx oryzivorus, 502, 659.

Donacobius, 214-217.

albovittatus, 214.

brachypterus, 215.

atricapillus, 216.

Doolittle, E. O., Blue Geese alighting in northern Ohio, 319; Mockingbird in winter in Lake

Co., Ohio, 334; breeding of Piping Plover in Lake Co.,

Ohio, 691; occurrence of Buffbreasted Sandpiper in Lake Co., Ohio, 691.

Dove, Dusky Mourning, 517.

Mourning, 37-58, 100, 240-244, 398, 443, 497, 532, 674.

Western Mourning, 455.

White-winged, 398, 408.

Dowitcher, 139, 145, 146.

Dromaeus novae-hollandiae, 633.

Drymocataphus nigrocapitatus nyctilampis, 161.

Dryobates pubescens glacialis, 520.

p. homorus, 657.

p. medianus, 483, 499.

p. microleucus, 520.

p. pubescens, 675.

scalaris symplectus, 520.

villosus, subsp., 222.

v. icastus, 520.

v. monticola, 457, 657.

v. orius, 520.

v. sitkensis, 520.

villosus villosus, 482, 499.

F

F

F

F

F

F

1

1

DuBois, Alexander D., the Shorteared Owl as a foster-mother, 383-393.

Duck, Black, 97, 493, 623.

Black-bellied Tree, 471.

Greater Scaup, 97, 494.

Harlequin, 74, 528.

Lesser Scaup, 71, 97, 471, 480, 494.

Mottled, 669. Ring-necked, 71, 97, 318, 494. Ruddy, 97, 494, 471, 650. Scaup, 71, 527. Western Harlequin, 515. Wood, 339, 480, 494, 650.

Ducks, 346, 527, 702. Dumetella carolinensis, 467, 488, 511, 603, 664.

Dwight, Jonathan, first definite capture in North America of the Manx, Shearwater (*Puffinus puf-finus*), p. 125; notice of his 'New Race of the Lesser Black-backed Gull,' 355.

EAGLE, Bald, 146, 482, 498, 675.
Golden, 455.
Northern Bald, 221, 419–423.
Eastern Bird, Banding Association

Eastern Bird Banding Association, organization of, 723.

Eaton, Howard, obituary, 573.

Echt, E. B. von, obituary, 721. Eclectus, 172.

Economic Ornithology in Recent Entomological Publications, 161, 557.

Ectopistes migratorius, 497, 530. Egret, American, 141, 470, 672. Snowy, 470, 672.

Egretta candidissima candidissima, 470, 672.

Egypt, birds of, 162.

Eider, 170.

American, 136. King, 74, 120. Eifrig, C. W. G., Prairie Horned Lark (Otocoris alpestris praticola) in Maryland in summer, 126; Nelson's Sparrow in Chicago, 132; Leconte's Sparrow near Chicago—a correction, 132. Emerald, Porto Rican, 475.

Empidonax flaviventris, 501. hammondi, 658. lawrencei nemoralis, 553. minimus, 484, 501.

trailli trailli, 484, 501. t. alnorum, 501.

Emu, 63.

'Emu, The,' reviewed, 169, 363, 564, 712.

Entotriccus, 554.

Ereunetes pusillus, 99, 496. Erismatura jamaicensis, 76, 98, 471. 494, 651.

Erolia alpina arctica, 566. Erythrura, sp., 160.

Essex Co. (Mass.) Ornithological Club, review of 'Bulletin,' 561. Euolor olor, 678.

Euphagus carolinus, 101, 502. cyanocephalus, 461, 659.

Euphonia, Porto Rican, 478. Eupsittula aurea major, 355.

Euscarthmornis, 327.

nidipendulus, 327.

Euscarthmus, 327. cinereicollis, 327. meloryphus, 327. nidipendulus, 327.

Extermination, 352.

orbitatus, 327. superciliaris, 327.

Falco columbarius columbarius, 100, 339, 471, 498. c. suckleyi, 701. islandus, 498. mexicanus, 456. peregrinus, 253.

p. anatum, 262, 339, 456, 472.

Falco p. pealei, 221. rusticolus gyrfalco, 325.

> sparverius, 311. s. loquacula, 471.

s. phalaena, 456, 656.

s. sparverius, 498, 675.

Falcon, Peale's, 221.

Peregrine, 253.

Prairie, 456.

Farley, J. A., Dr. Blagden on the Heath Hen, 321; breeding of the Goshawk in Massachusetts, 532.

Feathers, structure of, 275-300. Figgins, J. D., notice of his 'Additional Notes on Branta canadensis,' 356; the breeding birds of the vicinity of Black Bayou, and Bird Island, Cameron Parish. Louisiana, 666-677.

Fiji Islands, birds of, 328.

Finch, Cassin's Purple, 660.

Hooded Weaver, 477.

House, 407, 462.

Purple, 101, 136, 233, 337, 485, 503.

Scarlet-cheeked Weaver, 477.

Sierra Nevada Rosy, 522. Fisher, A. K., obituary of William

B. Boulton, 378. Fletcher, L. B., report of meeting of the New England Bird Banding

Association, 379. Flicker, 675.

Boreal, 521.

Northern, 101, 222, 483, 500. Northwestern, 222.

Red-shafted, 458, 657.

Flight, 619.

Florida caerulea, 141, 672.

c. caerulescens, 470.

Floyd, Charles B., Long-eared Owl at Ipswich, Mass., in summer, 124; the Harlequin Duck in Massachusetts, 528; habits of the Northern Shrike in captivity, 542.

Flycatcher, Alder, 501.

Flycatcher, Antillean, 475.

Ash-throated, 459.

Beardless, 398.

Buff-breasted, 403.

Coues', 403.

Crested, 500.

Hammond's, 658.

Least, 484, 501.

Olive-sided, 101, 484, 408, 500 658.

Traill's, 459, 484, 501.

Western, 459.

Wright's, 459.

Vermilion, 401, 404.

Yellow-bellied, 501.

Forbush, E. H., review of his 'Some Under-water Activities of Certain Waterfowl,' 153; review of his 'Annual Report of the Division of Ornithology for 1921,' 154.

France, birds of, 414-419.

Francolinus pintadeanus, 160.

Fregata, 308.

ariel trinitatis, 157.

magnificens, 470.

minor januaria, 157.

Fregetta, 170, 600.

leucogaster, 678.

tropica, 678.

Fregettornis, 170.

Friedmann, Herbert, notice of his Weaving of the Red-bellied Weaver Bird in Captivity,' 354.

Friedmann, Herbert, and Leffingwell, Dana J., the Glaucous Gull at Ithaca, N. Y., 526.

Fringilla coelebs, 253.

Frost, Allen, see Crosby, M. S.

Fuertes, Louis Agassiz, Whooping Crane in Nebraska, 121.

Fulica americana, 98, 472, 495.

Fulmarus, 600.

GADWALL, 97, 339.

Gallinago, 550.

delicata, 99, 220, 336, 473, 495.

Gallinula chloropus cachinnans, 516. galeata, 516.

galeata galeata, 98, 472.

Gallinule, Florida, 98, 472. Purple, 472, 495, 673.

Gannet, 136.

Garrodea, 602.

Gault, Benjamin T., notice of his 'Check List of the Birds of Illinois,' 158.

Gavia immer, 96, 492, 625.

i. immer, 480.

lumme, 493.

pacifica, 352.

stellata, 219.

Gelochelidon nilotica, 514.

n. aranea, 514.

Generic subdivision, 177, 371.

Geobasileus, 170.

Geococcyx californianus, 457.

Georgia, birds of, 543.

Geositta, 311.

Geothlypis trichas brachidactyla, 488.

t. ignota, 676.

t. occidentalis, 466, 663.

t. scirpicola, 523, 588.

t. trichas, 104, 144.

Geotrygon, 517.

montana, 474.

Germany, birds of, 151, 247-256.

Gillespie, John A., Yellow-crowned Night Heron in Pennsylvania, 121.

Glaucidium gnoma gnoma, 457.

g. grinelli, 519. g. swarthi, 519.

Glaucionetta clangula americana, 494.

c. clangula, 515.

Gnatcatcher, Blue-gray, 146, 154, 544.

Plumbeous, 335.

Western, 468.

Godwit, Hudsonian, 321.

Marbled, 339.

Golden-eye, 72, 98, 494, 515, 526. American, 318.

Barrow's, 72, 318, 527.

Goldfinch, 143, 485, 503.

Arkansas, 462.

Green-backed, 407.

Lawrence's, 588.

Golson, Lewis S., wintering of the Yellow Palm Warbler, at Prattville, Ala., 133.

Goose, Barnacle, 528.

Blue, 77, 319.

Canada, 77, 98, 146, 220, 494,

Greater Snow, 690.

Snow, 77, 529.

White-fronted, 77, 219.

Goshawk, 532.

American, 498.

Gould, J. E., the Starling in Nor-

folk, Va., 536.

Gould types of Australian birds, 381.

Grackle, Boat-tailed, 146, 676. Bronzed, 101, 485, 502.

Grassquit, Bryant's, 478. Carib, 478.

Great Britain, birds of, 155, 705.

Grebe, Antillean, 469.

Eared, 454.

Holboell's, 336, 339, 492.

Horned, 492, 546.

Pied-billed, 96, 492.

Western, 526.

West Indian, 469.

Greene, Earle R., Bay-breasted Warbler at Atlanta, Ga., 543.

Greenland, birds of, 690.

Green-shank, 595.

Gregory, Stephen, S., Jr., Western Grebe in Illinois, 526; another Three-toed Woodpecker in Michigan, 534.

Griscom, Ludlow, field studies of the Anatidae of the Atlantic coast, 69-80; notes on Donacobius, 214-217; Baird's Sandpiper in Dutchess County, N. Y., with remarks on its identification in life, 529; Dickcissel in Central Park, New York City, 541; notice of his 'Apparently New Birds from North America and the West Indies, 553; see also Crosby, M. S.

Grosbeak, Black-headed, 154, 464, 661.

Blue, 154, 697.

Evening, 103, 129, 130, 314-316, 337, 503, 651.

Newfoundland Pine, 522.

Pine, 101, 222, 338, 503, 627. Porto Rican, 478.

Rocky Mountain Pine, 462, 660.

Rose-breasted, 102, 486, 506. Western Blue, 464.

Western Evening, 462.

Gross, Alfred O., the Black-crowned Night Heron (Nycticorax nycticorax naevius) of Sandy Neck, 1-30, 191-214; the Heath Hen,

Grouse, Canada Ruffed, 481, 497.

Dusky, 454. Fleming's, 517.

Franklin's, 656.

Nova Scotia Ruffed, 517.

Ruffed, 551.

Sitka, 220.

Yukon Ruffed, 517.

Grus americanus, 692.

mexicana, 495, 673.

Guara alba, 671.

Guillemot, Pigeon, 219.

Guiraca caerulea caerulea, 697.

c. lazula, 464.

Gull, Bonaparte's, 96, 320, 546. Franklin's, 139, 413.

Glaucous, 526.

Glaucous-winged, 219.

Herring, 96, 493, 609.

Laughing, 146, 473.

Gull, Lesser Black-back, 253. Ring-billed, 493. Thayer's, 513.

Gurney, J. H., obituary, 718. Guttera edouardi schoutedeni, 555. Gymnasio nudipes nudipes, 475.

Gyrfalcon, 325.

White, 498.

HAEMATOPUS bachmani, 220.

Haliæetus albicilla, 680.

a. groenlandicus, 680. leucocephalus alascanus, 221, 419-423, 498.

leucocephalus, 482, 675.

Hall, E. R., winter visitors at Lawrence, Kansas, 701.

Hallornis leuconotus wongani, 349.

Halobaena, 601.

Halocyptena, 602.

Halodromidae, 597.

Hapalocercus, 327.

Harelda hyemalis, 73.

Western Harrington, Alice B., Tanager in Texas, 698.

Haringtonia leucocephalus montivagus, 553.

Hartert, Ernst, notice of recent papers on birds of North Africa, 556; see also Rothschild, Lord.

Hartley, G. Inness, review of his 'The Importance of Bird Life,' 351.

Hawk, Broad-winged, 100, 482, 498.

Cooper's, 455, 497. Desert Sparrow, 456, 656.

Duck, 456, 472.

Marsh, 147, 482, 497.

Pigeon, 100, 471.

Porto Rican Sharp-shinned. 472.

Porto Rican Sparrow, 471.

Red-shouldered, 498, 693.

Red-tailed, 221, 472, 498.

Rough-legged, 498.

H

H

B

H

B

E

E

Hawk, Sharp-shinned, 100, 221, 444, 455, 482, 497, 656.

Sparrow, 253, 482, 498, 675.

Swainson's, 546.

Western Red-tailed, 455, 656.

Heath Hen, 321, 379, 568.

Hedymeles ludovicianus, 486, 523. melanocephalus, 523, 661.

Hellmayr, C. E., obituary of E. B. von Echt, 721.

Heniconetta, 524.

Henninger, W. F., natal plumage of Belonopterus cayannensis, 122.

Heron, Black-crowned Night, 1-30, 191-214, 470, 495, 673.

Buff-backed, 162.

California, 515.

Cuban Green, 470.

Espiritu Santo, 516.

Great Blue, 98, 324, 481, 495, 554, 671.

Green, 98, 122, 324, 495, 673. Little Blue, 141, 470, 672.

Louisiana, 470, 672.

Northwest, 220.

Snowy, 154, 554.

West Indian Great Blue, 471. Treganza's, 515.

Yellow-crowned Night, 121, 141, 470, 673.

Hersey, F. Seymour, observations on the habits of the Whip-poorwill, 534; a nestling Red-shouldered Hawk's hearty meal, 693.

Hesperiphona vespertina montana, 462.

v. vespertina, 101, 129, 130, 314-316, 337, 503, 651.

Hierofalco rusticolus alascanus, 680. r. candicans, 682.

rusticolus obsoletus, 682.

Himantopus mexicanus, 473, 674.

Hirundo erythrogastra, 465, 475, 486, 507.

senegalensis saturatior, 562.

Histrionicus histrionicus, 74, 528. h. pacificus, 515.

Holland, Harold M., Cowbird-like behavior of the Red-winged Black-bird, 127; the Passenger Pigeon in North Carolina, 530.

Holoquiscalus brachypterus, 477. Horizillas, 160.

'Hornero, El,' reviewed, 564.

Horning, J. E., Turkey Vultures in Alberta, 325.

Crows building in low willows, 327.

Horsey, R. E., additional notes on the birds of eastern Kentucky, 143.

Horsfield, H. Knight, review of his 'Sidelights on Birds,' 549.

Howell, A. Brazier, the influences of the southwestern deserts upon the avifauna of California, 584-592; notice of his 'Agencies which Govern the Distribution of Life,' 707.

Howell, A. H., obituary of Rev. J. H. Langille, 572.

Howland, R. H., see Carter, T. Donald.

Huber, Wharton, Golden Plover in Cape May County, New Jersey, 122; two new birds from Nicaragua, 300-302.

Hudson, W. H., obituary, 719.

Hummingbird, Black-chinned, 400, 405, 406.

Broad-billed, 406.

Broad-tailed, 406, 458.

Calliope, 658.

Costa's, 400.

Ruby-throated, 143, 458, 483, 500.

Rufous, 406, 658.

Hunt, Chreswell J., some Biloxi, Mississippi, bird notes, 146; two unusual winter records for the Chicago area, 340. Hydranassa tricolor ruficollis, 470, 672.

Hydrobates, 600.

Hydrobatidae, 514.

Hydrochelidon, 550.

nigra surinamensis, 96.

Hydroprogne, 550.

Hylactes megapodius, 327.

Hylocichla aliciae aliciae, 105, 512.

a. bieknelli, 105, 512. fuscescens fuscuscens, 512.

guttata auduboni, 468, 665.

g. faxoni, 489.

g. guttata, 588.

g. nanus, 223, 588.

g. pallasi, 513, 545.

mustelina, 144, 512.

ustulata swainsoni, 105, 144,

u. ustulata, 588.

Hypnelus ruficollis decolor, 343.

Ints, White, 671. Wood, 692.

'Ibis, The,' reviewed, 167, 360, 562, 710; see also 717.

Icteria virens, 140.

v. virens, 510.

v. longicauda, 466, 663.

Icterus bullocki, 461.

galbula, 502, 696.

portoricensis, 477.

spurius, 143, 676.

Idaho, birds of, 653.

Illinois, birds of, 88-90, 132, 138-

140, 158, 526.

Indes, East, birds of, 160, 706.

Inland Bird Banding Association organized, 185.

Ionornis martinica, 295, 472, 495,

Iowa, birds of, 156, 240-244.

Irena puella, 295.

Iridoprocne bicolor, 102, 223, 332, 487, 507, 623, 662.

Ixobrychus exilis, 495, 671.

e. exilis, 471.

neoxenus, 524.

Ixoreus naevius meruloides, 665. n. naevius, 224.

Jacamerops aurea penardi, 158. Jackdaw, 253.

Jackson, Hartley H. T., notes on summer birds of the Mamie Lake region, Wisconsin, 478-489.

Japan, birds of, 312-313.

Java, 552.

Jay, William, Long-eared Owls wintering at Evansburg, Pa., 533.

Jay, Black-headed, 222, 659.

Blue, 284, 285, 287, 295, 484, 501.

Canada, 339, 484, 501.

Long-crested, 459.

Newfoundland, 522.

Piñon, 461.

Rocky Mountain, 460, 659.

Woodhouse's, 401, 460.

Yucatan, 295.

Jensen, J. K., Northern Shrike (Lanius borealis) near Santa Fé, N. Mex., 333; notes on the nesting birds of northern Santa Fé County, New Mexico, 452-469.

Johnson, Charles E., further notes on Lake County, Minnesota, birds, 547.

Jones, S. Paul, notes from Waukesha County, Wis., 137-138.

Jones, Sarah V. H., notice of her 'Inheritance of Silkiness in Fowls', 706; notice of her 'Studies on Inheritance in Pigeons. IV, Checks and Bars,' 706.

'Journal für Ornithologie,' reviewed, 365, 714.

Junco, 330.

Gray-headed, 463. Montana, 661.

Junco, Oregon, 223.

Red-backed, 463.

Sierra, 588.

Slate-coloured, 486, 505.

Junco hyemalis connectens, 681.

h. hyemalis, 330, 486, 505.

h. montanus, 661.

h. thurberi, 588.

oreganus oreganus, 223.

phaeonotus caniceps, 463.

p. dorsalis, 463.

Jung, Clarence, the Evening Grosbeak in Wisconsin, 130.

Kansas, birds of, 701.

Kennard, F. H., notes on the diving of Loons, 119; King Eider in Maine, 120; an instance of extreme precocity in young Pheasants, 123; an Owl's egg in the nest of a Western Red-tailed Hawk, 125; downy young of the Greater Snow Goose, a correction, 690; Yellow-headed Blackbird in Vermont, 695.

Kentucky, birds of, 143.

Killdeer, 100, 220, 454, 481, 496, 656, 674.

Antillean, 472.

Kingbird, 125, 143, 483, 500, 658. Arkansas, 154.

Cassin's, 393, 398, 459.

Gray, 475, 536, 676. Kingfisher, Belted, 143, 408, 457, 475, 482, 499, 556, 657, 675.

Kinglet, Golden-crowned, 512.

Northwest, 222.

Ruby-crowned, 105, 512, 450, 665.

Sitka, 223.

Western Golden-crowned, 223,

Western Ruby-crowned, 395.

Kitticincla malabarica interposita, 369, 567.

Kitticincla melanura pagensis malabarica, subspp.

Knot, 99.

Korea, birds of, 312-313,

Kuroda, N., Matsudaira, Y. Takatsukasa, N. and Uchida, G., review of their 'Hand List of Japanese Birds,' 348.

Kuroda, Nagamichi, description of two apparently new forms of Aegithalos caudatus from Japan

and Korea, 312-313.

LABRADOR, 135-137.

Lagopus lagopus alexandrae, 221. leucurus altipetens, 517.

l leveurus 454

l. leucurus, 454.

rupestris sanfordi, 517. Lampromorpha, 152.

Langelier, Gus. A., Mourning Dove

at Cap Rouge, Quebec, 532.

Langille, J. H., obituary, 572. Lanius borealis, 103, 138, 333.

ludovicianus excubitorides, 465.

l. migrans, 103.

Lanivireo flavifrons, 103, 508.

solitarius cassini, 662. s. plumbeus, 465.

s. solitarius, 103, 143, 508.

Larius, 172.

Lark, Desert Horned, 459.

Dusky Horned, 658.

Horned, 85-87, 338.

Hoyt's Horned, 338.

Prairie Horned, 126, 501.

Larus, 148.

argentatus, 96, 493, 609. atricilla, 146, 473.

belcheri, 305.

cachinnans, 355.

canus, 148.

delawarensis, 493.

dominicanus, 305.

franklinii, 139, 413

fuscus, 253.

Larus f. atlantis, 355.
glaucescens, 219.
glaucus, 148.
hyperboreus, 526.
modestus, 305.
philadelphia, 96, 413, 546.
thayeri, 513.

Latham, Roy, Red-breasted Nuthatch (Sitta canadensis) breeding on Long Island, N. Y., 335.
'Le Gerfaut,' reviewed, 364, 713.
'L'Oiseau,' reviewed, 364, 565, 713.
Leffingwell, Dana J., see Friedman, Herbert.

Leipoa ocellata, 167.

Leopold, N. F., Jr., rare and unusual birds in the Chicago area during 1922, 138-140; reason and instinct in bird migration, 409-414.

Leptotila fulviventris angelica, 679. f. brachyptera, 679.

verreauxi tenella, 553. Leucopolius, 679.

alexandrinus nivosus, 679. a. tenuirostris, 679.

Leucosticte tephrocotis dawsoni, 522.

Lewis, Herrison F., additional notes on birds of the Labrador peninsula, 135-137.

Ligon, J. Stokley, nesting of the Evening Grosbeak in northern Michigan, 314-316.

Limnodromus griseus, 139. g. griseus, 495.

Limosa fedoa, 339.

haemastica, 321. Lithuania, birds of, 150.

Lloyd, Hoyes, protecting nest sites, 571.

Lobipes lobatus, 320.

Lönnberg, Einar, notice of his 'Remarks on Palaearctic Goshawks,' 551.

Longspur, Lapland, 131, 504. Smith's, 339. Loomis, Leverett Mills, on the classification of the Albatrosses, Petrels and Diving Petrels, 596– 602.

Loon, 96, 119, 146, 480, 492, 525, 625.

Red-throated, 219, 493.

Lophodytes cucullatus, 97, 493. Lophortyx californica californica, 454.

c. vallicola, 589. gambeli, 589. g. sanus, 517.

Lorius, 172.

Louisiana, birds of, 666.

Lower California, 553.

Loxia curvirostra, 253.

c. minor, 222, 503, 547, 660, 681.

c. percna, 522.

c. pusilla, 681.

leucoptera, 503, 547.

Loxigilla portoricensis, 478. Lurocalis **stonei**, 300.

McAtee, W. L., ducks useful in Arkansas as scavengers of red rice, 527; notice of his 'Local Suppression of Agricultural Pests by Birds,' 157; reviews of economic ornithology, 557-560; see also Preble, E. A.

McConnell, T. L., obituary, 721. McGregor, R. C., notice of his 'New or Noteworthy Philippine Birds,' 160.

Machetes, 516.

Macronectes, 600, 601.

Magee, M. J., Richardson's Owl in Michigan, 326; notes from Sault Ste. Marie, Mich., 337.

Magnamytis alligator, 557.

Magpie, 126, 459, 659.

Mailliard, Joseph, notice of his 'Field Work on the Northern Coast of California in 1921,' 553. Maine, birds of, 120, 130, 131. Malacocincla abbotti eritora, 161. Malacopteron, 160.

Malacorhynchus membranaceus, 349.

Malindangia mcgregori, 160. Mallard, 97, 480, 493.

Malleis, Harry, personal mention, 381.

Malurus, 155, 285, 286, 289. melanotus musgravei, 349. splendens perthi, 349.

Manacus manacus subpurus, 355. Mango, Green, 475.

Porto Rican, 475.

Manitoba, birds of, 151.

Man-o'-war-bird, 470.

Marble, Richard M., some unusual occurrences in eastern Vermont, 546.

Margarops fuscatus fuscatus, 476. Mareca americana, 97.

penelope, 352, 650.

Marila, 349.

affinis, 71, 97, 480, 494, 471. americana, 70, 494. collaris, 71, 97, 494. marila, 71, 97, 494.

valisineria, 70. Martin, Caribbean, 475. Purple, 146, 356, 431–436, 486,

Maryland, birds of, 126.

506.

Mason, C. W., see Bancroft, W. D. Massachusetts, birds of, 1–30, 124, 154, 191–214, 256–275, 325, 532, 528, 545, 699.

Mathews, Gregory M., review of his 'The Birds of Australia,' 155, 349, 556, 705; genus Neopisobia, 715.

May, Franklin H., Piping Plover and Black Tern Nesting at North Pond, Lake Ontario, 690.

Meadowlark, 502. Southern, 676. Meadowlark, Western, 413, 461, 659, Measurements, 244–247.

Megaquiscalus major major, 676. Megathiza, 155.

Meinertzhagen, R., review of his 'A Revision of the Genus Oriolus,' 708.

Melanerpes erythrocephalus, 337, 458, 500, 701.

e. erythrocephalus, 483. portoricensis, 474.

Melanosterna, 523.

Meleagris gallopavo merriami, 454. Melospiza georgiana, 486, 506.

> lincolni lincolni, 651, 661. l. striata, 223. melodia caurina, 223.

melodia melodia, 486, 506. m. montana, 661.

m. rufina, 223. Merganser, 219.

American, 96, 337, 493. Hooded, 97, 493.

Red-breasted, 96, 145, 146, 493. Mergus americanus, 96, 219, 337,

493.

serrator, 96, 493.

Merlin, Black, 701.

Merops sumatranus coeligenus, 553. Merrett, Ernest, see Bancroft, W. D.

Merula, 349.

Mesophoyx intermedia, 566.

Mexico, birds of, 553.

Michigan, birds of, 314-316, 326, 337, 338, 534, 609.

Micropalama himantopus, 321, 592. Micropallas whitneyi idonea, 519.

w. sanfordi, 519. Migration, 224–240, 247–256, 256– 275, 353, 409–414, 414–419, 436–

441, 442–452, 550, 554.
Miller, Carrie Ella, Evening Grosbeaks in Maine, 129.

Miller, R. F., the Saw-whet Owl in spring at Philadelphia, Pa., 124; a Yellow-bellied Sapsucker in Philadelphia in August, 694; Sooty Shearwater on the New Jersey coast, 689.

Mills, E. A., obituary, 721.

Milvago chimachima paludivaga,

Mimeta, 708.

Mimocichla ardosiacea portoricensis, 476.

Mimus patagonicus tricosus, 554. polyglottos, 105.

p. leucopterus, 467.

p. polyglottos, 144, 677.

p. orpheus, 476.

Minnesota, birds of, 133, 547, 629. Mississippi, birds of, 146.

Missouri, birds of, 356.

Mitrospingus cassinii costaricensis, 354.

Mixornis gularis chersonesophila,

g. archipelagica, 160.

g. inveterata, 160.

g. versuricola, 160.

bornensis ruficoma, 160.

b. pontia, 161.

Mniotilta varia, 143, 477, 487, 508.

Mockingbird, 105, 143, 334, 677.

Jamaican, 476.

Western, 467.
Molothrus ater ater, 101, 127, 461, 485, 502, 659, 676, 696.

a. californicus, 681. atronitens, 128.

Moris bassana, 136.

Motacilla lugens, 681.

alba lugens, 681. alba ocularis, 681.

ocularis, 681.

Mound-builders, 167.

Mousley, Henry, the Starling breeding at Hatley, Quebec, 539; further notes on the breeding of the Starling (Sturnus vulgaris vulgaris) at Hatley, Que., 694.

Murphy, Robert Cushman, notice of his 'The Seacoast and Islands of Peru,' 157.

Murrelet, Marbled, 219.

Muscicapidae, 682.

Muscisaxicola striaticeps, 554.

Musselman, T. E., bird-banding at Thomasville, Ga., 1923, 442–452.

Museum of Comparative Oology, review of 'Journal,' 167.

Musophagidae, 295.

Myadestes townsendi, 468, 665.

Mycteria americana, 692.

Myers, Harriet Williams, review of her 'Western Birds,' 350.

Myiarchus, 355.

antillarum, 475.

cinerascens cinerascens, 459. crinitus, 500.

Myiochanes richardsoni richardsoni, 459, 658.

virens, 484, 501.

Mynah, Indian, 328.

Nannus hiemalis hiemalis, 105, 488,

h. pacificus, 223, 664.

'Natureland,' noticed, 380.

Neopisobia, 524, 715.

Neospingus speculiferus, 477.

Neospiza, 710.

Nephœcetes niger jamaicensis, 475.

Netherlands, birds of, 156, 350.

Netherlands Ornithological Club 'Yearbook,' reviewed, 365, 565,

Nettapus albipennis, 347.

Nettion carolinense, 97, 493.

New England Bird Banding Association, notes of the, 186; annual meeting of, 379.

New Hampshire, birds of, 352, 546, 699.

New Jersey, birds of, 30–36, 123, 127, 140–142, 356, 423–430, 532, 536, 543, 689, 692.

New Mexico, birds of, 333, 452–469. New York, birds of, 94–105, 125, 317, 323, 335, 336, 337, 526, 528, 529, 541, 543, 544, 551, 621, 649. Nicaragua, birds of, 300–302, 693, 700.

Nice, Margaret Morse, 37-58.

Nichols, J. T., ancestry of Brewster's Warbler, 429; Yellow-legs skeletons, 592-595.

Nighthawk, 483, 500.

Cuban, 475. Florida, 675.

Pacific, 657.

San Lucas, 521.

Western, 458.

Nomenclature, 571.

Nonpareil, 145, 146.

North Carolina, birds of, 144-146, 317, 530.

North Dakota, birds of, 692.

Notiocorys bogotensis shiptoni, 564.

Nucifraga columbiana, 460, 659. Numenius borealis, 352.

hudsonicus, 309, 321.

Nutcracker, Clarke's, 460, 659.

Nuthatch, Pygmy, 467.

Red-breasted, 105, 137, 335,

489, 512, 664. Rocky Mountain, 664.

Charles Lilled 407

Slender-billed, 467. White-breasted, 144.

Nuttallornis borealis, 101, 484, 500,

Nyctanassa violacea, 141, 352, 470, 673

Nyctea nyctea, 337, 499.

Nycticorax nycticorax naevius, 1-30, 191-214, 470, 495, 673.

Nycticryphes, 553.

Nyctiornis, 349.

Nyroca, 551.

Nystalus maculatus pallidigula, 355.

OBERHOLSER, H. C., notes on the forms of the genus Oreortyx

Baird, 80-84; note on the generic name Pteroptochos Kittlitz, 326; the generic name Euscarthmus, Wied., 327; bird-banding as an aid to the study of migration, 436-441; eighth annual list of proposed changes in the A. O. U. 'Check-List' of North American Birds, 677-682; notice of his 'New Timaline Birds from the East Indies,' 160; review of his 'Descriptions of New East Indian Birds of the Families Turdidae, Sylviidae, Pycnonotidae, and Muscicapidae, 706.

Oberholseria chlorura, 464.

Oceanites, 600.

Oceanitinae, 597.

Oceanodroma, 602.

hornbyi, 682.

leucorhoa, 546.

l. kaedingi, 514.

kaedingi, 514.

manorhis socorroensis, 149. socorroensis, 149.

Ochthodromus, 516.

wilsonius rufinuchus, 472.

O'Conor, J. C., Little Auk at Sand Bridge, southeastern Virginia, 317.

Ohio, birds of, 319, 323, 334, 691.

Oidemia americana, 75.

deglandi, 75, 120, 494.

d. dixoni, 515.

perspicillata, 75, 494. Oklahoma, birds of, 37–58, 534, 606.

Oldsquaw, 73, 494, 527, 651.

Olor, 515.

buccinator, 220.

columbianus, 78.

Ontario, birds of, 489-513.

'Oölogist, The,' reviewed, 166, 359,

561, 710.

Oporornis agilis, 340, 510. philadelphia, 488, 510.

tolmiei, 466, 663.

Oreopeleia, 517.

chrysia, 517.

larva, 324.

montana, 517.

Oreortyx, 80-84.

picta confinis, 84.

p. palmeri, 84.

p. picta, 84.

Oreoscoptes montanus, 467.

Oreoscopus, 155.

Oriole, Baltimore, 502, 696.

Bullock's, 408, 461.

Hooded, 407, 408.

Orchard, 143, 676.

Porto Rican, 477.

Scott's, 402.

Oriolus, 708.

'Ornithologische Beobachter,' reviewed, 364, 566, 715.

'Ornithologische Monatsberichte,' reviewed, 365, 565, 714.

Ornithological Articles in Other Journals, 171, 368, 566, 715.

Ornithological Society of Bavaria, 'Proceedings,' reviewed, 367.

Ortyxelus, 562.

muffreni, 562. Osprey, 100, 482, 472.

Ostrich, 633.

Otocoris alpestris alpestris, 85-87, 338.

a. hoyti, 338.

a. leucolaema, 459.

a. merrilli, 658.

a. praticola, 126, 501.

Otus asio asio, 499.

a. brewsteri, 518.

a. cinereus, 456.

a. hasbroucki, 518.

a. kennicotti, 221.

a. quercinus, 518.

a. xantusi, 519.

flammeolus, 456.

f. idahoensis, 524.

luciae siamensis, 369.

xantusi, 519.

Ovenbird, 137, 488, 510, 476.

Owl, American Hawk, 499.

American Long-eared, 498.

Arizona Spotted, 518.

Bare-legged, 475.

Barn, 100, 123.

Barred, 482, 499.

Brewster's Screech, 518.

Burrowing, 457.

Coast Horned, 519.

Coast Pygmy, 519.

Flammulated Screech, 456.

Great Gray, 337, 339.

Great Horned, 499.

Hasbrouck's Screech, 518.

Island Saw-whet, 518.

Kennicott's, 221.

Long-eared, 124, 533.

Mexican Screech, 456.

Newfoundland Horned, 519

Northwestern Horned, 519.

Pale Horned, 519.

Pasadena Screech, 518.

Pygmy, 457.

Richardson's, 325, 326, 336,

693. Sanford's Elf, 519.

Saw-whet, 100, 124, 330.

Screech, 499.

Short-eared, 30-36, 383-393,

499, 656.

Snowy, 337, 499, 640.

Texas, Elf, 519.

Vancouver, Pygmy, 519.

Western Horned, 125, 456, 657.

Oxyechus vociferus, 100, 220, 454,

656, 674. v. rubidus, 472.

v. vociferus, 481, 496.

Oxyruncus brooksi, 158.

Oystercatcher, 145, 146. Black, 220.

PACHYPTILA, 600. Pagodroma, 600.

Pagolla, 516.

Pagolla wilsonia wilsonia, 517.

Palmer, T. S., fortieth stated meeting of the American Ornithologists' Union, 106-115; report of the Secretary, 115-119; obituary of Walter B. Barrows, 376; obituary of Job Barnard, 377; obituary of Howard Eaton, 573; obituary of J. H. Gurney, 718; W. H. Hudson, 719; J. L. J. Bonhote, 720; E. A. Mills, 721; J. S. Wallace, 722.

Pandion haliaetus carolinensis, 100, 472, 482, 498.

Pangburn, Clifford, the Prothonotary Warbler at New York City,

Paradisea apoda luptoni, 563.

Paraguay, birds of, 355.

Partridge, Canada Spruce, 481, 497.

Passer domesticus, 222, 462, 525. hostilis, 525.

rutilans yunnanensis, 563.

Passerculus sandwichensis alaudinus, 223, 590, 660. s. savanna, 102, 504.

Passerella, 588.

iliaca iliaca, 102, 506. i. schistacea, 661.

Passerherbulus, lecontei, 132, 339. nelsoni nelsoni, 132, 339, 652.

Passerina amoena, 464, 661. ciris, 295.

cyanea, 295.

Patagioenas squamosa, 324.

Patagonia, birds of, 706.

Pavo, 344.

Pealea, 602.

Pearson, T. G., personal mention, 722.

Pelagodroma, 602.

Pelecanoidae, 598.

Pelecanoides, 600.

Pelecanus occidentalis, 352, 470. thagus, 307.

Pelican, Brown, 145, 470.

Pelicans, 149.

Pelidna alpina arctica, 678. a. sakhalina, 496.

Penard, Thomas E., the identity of Gmelin's Todus plumbens, 334; notice of his 'Two New Forms of Surinam Birds,' 553; see also Bangs, Outram.

Pennsylvania, birds of, 124, 431-436, 533, 626, 694.

Penthestes atricapillus atricapillus, 489, 512.

> a. septentrionalis, 664. carolinensis carolinensis, 144. gambeli gambeli, 664. hudsonicus hudsonicus, 512. rufescens rufescens, 223, 664.

Pericrocotus brevirostris annamensis, 563.

Perisoreus canadensis canadensis, 339, 484, 501.

c. capitalis, 460, 659.

c. sanfordi, 522.

Peru, birds of, 157, 303-312. Petchary, Porto Rican, 475.

Peters, James L., notice of his 'A New Babbler from Argentina,' 554; see also Wetmore, Alexan-

Peterson, Alfred, Rock Wren in Minnesota, 133.

Petrel, Bermuda, 514. Leach's, 546.

Petrels, 149.

Diving, 596.

Petrochelidon fulva pallida, 523. f. poeciloma, 475.

lunifrons lunifrons, 102, 464, 486, 507, 662.

Peucæa æstivalis bachmani, 413.

Pewee, Porto Rico Wood, 475. Western Wood, 459, 658.

Wood, 484, 501.

Phaenostictus macleannani chocoanus, 158.

Phaëthon americanus, 470.

Phaethornis adolphi nelsoni, 158. a. fraterculus, 158.

Phalacrocorax bougainvillei, 307. dilophus dilophus, 317, 324. vigna, 307.

v. mexicanus, 669.

Phalaenoptilus nuttalli nuttalli, 458. n. nitidus, 524.

Phalarope, Red, 319, 546. Northern, 320.

Wilson's, 139, 701.

Phalaropus fulicarius, 319, 546. Pheasant, Ring-necked, 123.

Pheasants, 344.

Philippines, birds of, 160.

Phillips, John C., review of his 'Natural History of the Ducks,' 346.

Philohela, 516.

minor, 495.

Philomachus, 516. pugnax, 516.

Phloeotomus pileatus abieticola, 483, 500, 657.

p. floridanus, 520.

p. picinus, 521.

Phoebe, 143, 500.

Say's, 459. Phoebetria, 600.

palpebrata, 514.

p. auduboni, 514.

Phrygilus, 710.

Phyllanthus bohndorffi, 333. ezarnikowi, 333.

Phylloscopus trochilus trochilus, 231.

Pica pica hudsonia, 459, 659.

Picoides americanus americanus, 534.

arcticus, 337, 483, 499.

Pigeon, Band-tailed, 455.

Passenger, 497, 530, 628, 629. Scaled, 324, 474.

White-crowned, 474.

Pinicola enucleator subsp.?, 222. e. carlottae, 681. Pinicola e. eschatosus, 522.

e. leucura, 101, 338, 503.e. montana, 462, 660.

Pintail, 97, 493.

American, 514.

Bahama, 471.

Pionus chalcopterus, 289, 295.

Pipilo aberti, 589.

crissalis senicula, 589.

erythrophthalmus canaster, 522.

e. erythrophthalmus, 143, 486, 506.

fuscus jamesi, 553.

f. mesoleucus, 463.

maculatus curtatus, 522.

m. falcifer, 522.

m. falcinellus, 523.

m. montanus, 463, 661.

Pipit, 85-87, 105, 138, 466, 511, 663.

Pipra erythrocephala actinosa, 158.

Piranga erythromelas, 102, 486, 506. ludoviciana, 464, 661, 698.

saira rosacea, 354.

Piscatrix sula autumnalis, 157.

Pisobia bairdi, 495.

fuscicollis, 99.

maculata, 473, 495.

minutilla, 473, 495.

Pitta cyanoptera, 295.

Pitylus grossus saturatus, 354.

Planesticus migratorius subsp., 223.

m. migratorius, 105, 513, 701.m. propinquus, 468, 665.

m. propinquus, 468, 665.

Plectrophenax nivalis nivalis, 504. Plegadis autumnalis, 515.

falcinellus, 515.

Plover, American Black-bellied,516. American Golden, 99, 496, 473.

Black-bellied, 146.

Golden, 142, 410-411.

Mountain, 454.

Piping, 691.

Rufous-naped, 472.

Semipalmated, 100, 472, 496, 548.

Plover, Upland, 141, 339, 473. Wilson's, 146.

Pluvialis dominicus, 142. dominicus dominicus, 99, 122,

473, 496. Podasocys montanus, 454, 679. Podilymbus podiceps, 96, 492.

p. antillarum, 469.

Poecilonetta bahamensis, 471.

Polioptila, 682. caerulea obscura, 468.

livida, 335. melanura, 335. plumbea plumbea, 335.

p. innotata, 335.

Polyplectron, 344. Polysticta, 524.

Poœcetes gramineus confinis, 462, 590, 660.

g. gramineus, 102, 485, 504.

Poole, Earl L., summer shore birds of the North Carolina coast, 144– 146.

Poor-will, 458.

Poospiza pectoralis, 354.

Porto Rico, birds of, 324, 469-478.

Porzana carolina, 98, 472, 481, 495. Potter, Julian K., Gray Kingbird (Tyrannus dominicensis) at Cape

May, N. J., 536, 676; Yellowthroated Warbler again at Cape May, New Jersey, 543.

Prairie Chicken, Attwater's, 674.

Preble, E. A., and McAtee, W. L., review of their 'Birds of the Pribilof Islands,' 703.

Precharadriinae, 679.

Pribilof Islands, birds of, 703.

Priocella, 601.

antarctica, 514.

glacialoides, 514.

Priofinus, 602.

Prion, 170, 598.

Prionops concinnata ochracea, 562.

Procellaria, 600.

Procellariidae, 514, 596.

Procnias viridis, 289, 292, 295.

Progne dominicensis, 475. subis subis, 486, 506.

Protonotaria citrea, 543.

Psalidoprocne, 554.

mangbettorum, 554. Psephotus pulcherrimus, 169.

Pseudoptynx philippensis, 160.

Pseudosicalis stewarti, 564.

Pseudospermestes, 331.

microrhyncha, 331.

goosensi, 331.

Ptarmigan, Alexander's, 221. Southern White-tailed, 517.

Tanaga, 517.

White-tailed, 454.

Pteroptochos, 326.

albicollis, 326.

megapodius, 327.

rubecula, 327.

r. hylonympha, 554.

r. nemorivaga, 706.

Pterodroma, 601. cahow, 514.

Ptilopus puella, 297.

pulchellus, 297.

Puffinus, 600.

cuneatus, 150.

griseus, 546, 689. pacifica, 150.

puffinus, 125.

Pyrenestes, 554.

ostrinus maximus, 554.

Pyrrhuloxia, 59.

sinuata sinuata, 590.

QUAIL, Arizona Scaled, 517.

California, 454.

Colorado Gambel's Quail, 517.

Gambel's, 589.

Scaled, 454.

Valley, 589.

Quail-dove, Porto Rico, 324.

Ruddy, 474.

Quebec, birds of, 85-87, 539, 544, 694.

Querquedula discors, 97, 471. Quiscalus quiscula aeneus, 101, 485, 502.

Ran, Caribbean Clapper, 472. Little Black, 88-90, 319. Louisiana Clapper, 673. Virginia, 98, 495. Yellow, 495, 546.

Yuma Clapper, 90-94.
Rallus crepitans saturatus, 673.
longirostris caribaeus, 472.

virginianus, 98, 495. yumanensis, 90-94.

Raven, 460.

Northern, 127, 222, 546. Southeastern, 485.

Recurvirostra americana, 321.

Redhead, 49, 70.

Redpoll, 503.

Hoary, 101.

Redshank, 595. Redstart, 105, 144, 476, 488, 510, 663.

Painted, 395.

Redwing, Florida, 676. San Diego, 461.

Reed, Clara Everett, nesting of the Hermit Thrush at West Brookfield, Mass., 545.

Regulus calendula calendula, 105, 512, 665.

c. grinnelli, 223.

satrapa olivaceus, 223, 664. s. satrapa, 512.

Reichenberger, Mrs. E. M. B., remarks on methods in measuring birds, 244–247; see also Cherrie, George K.

Reis, Jacob A., Jr., obituary of George Zenker, 184.

'Revue Francaise d'Ornithologie,' reviewed, 364, 565, 713.

Rhea, 633.

americana, 633.

Rheinhardius, 344.

Rhoads, Samuel N., note on Bonaparte's continuation of Wilson's Ornithology, 341.

Rhode Island, birds of, 330.

Rhodonessa, 349.

Rhynchaea, 553.

Ribeiro, notice of his 'Vertebrates of Trinidad Island,' 156.

Ridgway, Robert, what is Buteo rufescentior Salvin and Godman, 325; Generic subdivision, 371; a plea for caution in the use of trinomials, 375; In Memoriam, José C. Zeledón, 682.

Riparia riparia, 102, 465, 475, 507.

Road-runner, 457.

Robin, 105, 223, 513, 701.

Western, 468, 665.

Robinson, Mrs. L. K., Grinnell's Water-Thrush in Colorado, 133. Rook, 253.

Roosevelt, Wild Life Station, notice of March 'Bulletin,' 551.

Rosina comata rogersiana, 349. coronata, 349.

Rosthramus sociabilis, 679.

Rostratula, 553.

Rothschild, Lord, notice of his 'Birds from N. W. Yunnan,' 556; letter on protection of birds in Poland, 575.

Rothschild, Lord, and Hartert, E., notice of their 'Ornithological Autumn Journey to Algeria,' 556.

Rough-leg, 701.

Rowan, William, review of his 'Ecological Notes on Birds of Shoal Lake, Man.,' 151.

Rowettia, 711.

Rubicola, 516. minor, 516.

SACHTLEBEN, H., review of his 'Birds of Lithuania,' 150.

Salpinctes obsoletus, 133.

o. obsoletus, 467.

Si

Si

8

8

8

Salpinetes o. proximus, 523. Sanderling, 473.

Sandpiper, Baird's, 495, 529.

Bartramian, 496. Buff-breasted, 691.

Least, 146, 473, 495.

Pectoral, 473, 495.

Red-backed, 495.

Semipalmated, 99, 146, 496.

Solitary, 99, 473, 481, 496, 577. Spotted, 481, 496, 623, 656.

Stilt, 321, 592.

White-rumped, 99, 481.

Santo Domingo, birds of, 553.

Sapsucker, Northern Red-breasted, 222.

Red-naped, 457, 534, 657.

Williamson's, 457.

Yellow-bellied, 101, 143, 483, 500, 694.

Sarothrura pulchra batesi, 168. p. tibatiensis, 168.

Saunders, Aretas A., concerning the field identification of the Anatidae, 526; a double song of the Cardinal, 539; notice of his 'Summer Birds of Alleghany State Park,' 551.

Saurothera vieilloti, 474.

Sawyer, Edmund J., notice of his 'The Ruffed Grouse with Special Reference to its Drumming, '551.

Saxicola oenanthe, 544.

Sayornis phoebe, 143, 500. sayus, 459.

Scaup, Greater, 318.

Lesser, 318.

Scelorchilus, 327.

albicollis, 327. rubecula, 327.

Schalow, H., review of his 'Or-

nithology of Brandenburg,' 151. Schmidhoffen, Tsuzi zu, notice of his 'Bibliography of Austro-Hungarian Ornithology,' 705. Sclater, W. L., notice of his 'Aves for 1920,' 152.

Sclerurus mexicanus anomalus, 158. Scoter, American, 75, 318.

Dixon's White-winged, 515. Surf, 75, 494.

White-winged, 75, 120, 318, 494.

Scoters, 525, 527.

Scotiaptex nebulosa nebulosa, 337. cinerea cinerea, 339.

Scoville, Samuel, Jr., Pileated Woodpecker in Connecticut and New Jersey, 533.

Seiurus aurocapillus, 137, 476, 488, 510, 699.

motacilla, 476.

noveboracensis (subsp.?), 147. n. notabilis, 133, 340.

n. noveboracensis, 476, 488, 510, 699.

Selasphorus platycercus, 458. rufus, 658.

Sennett, George B., field notes of, 626.

Sericornis, 155.

laevigaster tweedi, 155. maculatus inopinatus, 155. m. gouldianus, 155.

magnirostris yorki, 155. Setochalcis vocifera vocifera, 483. Setophaga ruticilla, 105, 144, 476,

488, 510, 663.

Sicalis luteiventris flavissima, 354. Sheak, W. H., some observations on

the Struthious birds, 633. Shearwater, Manx, 125.

Sooty, 546, 689. brike, Loggerhead, 447

Shrike, Loggerhead, 447. Migrant, 103, 507.

Northern, 103, 138, 333, 507, 542.

White-rumped, 465,

Shoveller, 97, 471, 493.

Sialia arctica, 289, 295.

currucoides, 469, 665.

Sialia mexicana bairdi, 469. sialis sialis, 489, 513, 677.

Silvia cisticola, 369. conspicillata, 369. juncidis, 369. leucopogon, 369. rhodogastra, 369. turdella, 369.

Siskin, 253.

Pine, 462, 485, 504, 660.

Sitta canadensis, 105, 137, 335, 489, 512, 664.

carolinensis aculeata, 467. c. carolinensis, 144, 511. c. nelsoni, 664. europaea, 151. pygmaea pygmaea, 467.

Skimmer, Black, 145.

Skylark, 416.

Smyth, Thomas, Snow Goose in the Cayuga Lake basin, 529.

Snipe, Wilson's, 99, 220, 336, 473,

Snyder, L. L., the Mourning Dove (Zenaidura macroura carolinensis) at Panora, Iowa, 240-244.

Solitaire, Townsend's, 468, 665.

Somateria, 170. dresseri, 74, 136, 515. mollissima dresseri, 515. spectabilis, 74, 120. Song, 233-235, 539, 643.

Soper, J. Dewey, the birds of Wellington and Waterloo Counties, Ontario, 489-513.

Sora, 98, 472, 481, 495.

'South Australian Ornithologist,' reviewed, 363, 564, 713.

South Carolina, birds of, 133, 134, 319, 544.

Sparrow, Bachman's, 146, 413. Chipping, 102, 137, 445, 446,

> Clay-colored, 137, 339. English, 222, 462, 537. Field, 102, 143.

Sparrow, Forbush's, 223. Fox, 102, 506, 588.

> Gambel's, 590, 660. Grasshopper Sparrow, 478.

Harris's, 140, 412. Lark, 339.

LeConte's, 132, 339.

Lincoln's, 651, 661.

Mountain Song, 463, 661.

Nelson's, 132, 339, 652.

Savannah, 102, 504.

Slate-colored Fox, 661.

Song, 486, 506.

Sooty Song, 223.

Swamp, 486, 506.

Tree, 137.

Vesper, 102, 485, 504.

Western Chipping, 463, 660.

Western Lark, 463.

Western Savannah, 223, 590, 660.

Western Vesper, 462, 590, 660. White-crowned, 463.

White-throated, 102, 485.

Yakutat Song, 223.

Spatula clypeata, 97, 471, 493. Spectyto cunicularia hypogæa, 457. Spermestes cucullata, 477.

poensis, 331. Sphenura longirostris mastersi, 349. Sphyrapicus ruber, 681.

r. notkensis, 222.

thyroideus, 457. varius nuchalis, 457, 534, 657.

v. ruber, 681.

v. varius, 101, 143, 483, 500, 694.

Spilopelia chinensis, 679. Spindalis, Porto Rican, 478.

Spindalis portoricensis, 478. Spinus pinus macropterus, 330.

p. pinus, 462, 485, 504, 660. Spiza americana, 138, 352, 606, 676,

701.

Spizaetus limnaetus, 160.

Spizella breweri, 463.

monticola monticola, 137, 505.

pallida, 137, 339.

passerina arizonae, 463, 660. p. passerina, 102, 137, 486, 505.

pusilla pusilla, 102, 143, 505. Spizitormis parulus lippus, 706. Spoonbill, Roseate, 670.

Sporophila.

americana dispar, 354. castaneiventris rostrata, 354.

Squatarola squatarola, 516. s. cynosurae, 516.

Stachyris nigriceps dipora, 161. Starling, 253, 536, 537, 539, 694.

Steganopus tricolor, 139, 700.

Steganura, 159, 565.

aucupum longicauda, 159.

a. nilotica, 159.a. obtusa, 159.

paradisaea logoensis, 565.

Stejneger, Leonhard, personal mention, 576.

Stelgidopteryx serripennis, 102, 352, 507, 662.

Stellula calliope, 658.

Stephens, T. C., notice of recent papers by, 156.

Sterna anaetheta, 514.

anaethetus recognita, 514. antillarum, 474.

caspia, 96, 339, 514.

c. imperator, 514, 649.

fuscata, 474.

hirundo, 474, 480, 493, 650.

maxima, 474

paradisaea, 135, 339.

Stigmatura budytoides inzonata, 554.

Stilt, Black-necked, 473, 674.

Stipiturus malachurus richmondi, 349.

Stoddard, H. L., some Wisconsin shore-bird records, 319; the Gyrfalcon in Wisconsin, 325; notes on a Sparrow roost, and the arrival of the Starling in Wisconsin, 537.

Stone, Witmer, the type of the genus Colymbus Linn. 147; Razor-billed Auk in North Carolina, 317; up-to-date names 572; Sooty Shearwater on the New Jersey Coast, 689; the Wood Ibis again at Cape May, N. J., 692.

Stoner, Dayton, the Mynah—a study in adaptation, 328; notice of his 'Bird Banding and Incidental Studies,' 556.

Street, J. Fletcher, on the breeding grounds of the Solitary Sandpiper and Lesser Yellowlegs, 577-583.

Streptoceryle alcyon alcyon, 482. Streptoprocne zonaris bouchellii, 302.

Strix occidentalis caurina, 524.

c. huachucae, 524.

o. lucida, 518.

varia albogilva, 518.

v. helveola, 518.

v. varia, 482.

Strong, R. M., "Blue Feathers," 569; further observations on the habits and behaviour of the Herring Gull, 609-621.

Struthers, Parke H., observations on the bird life of Porto Rico, 469-478.

Struthio australis, 633.

camelus, 634.

molybdophanes, 633.

Sturnella magna argutula, 676.

m. magna, 502.
neglecta, 461, 659.

Sturnus vulgaris, 253, 352, 539, 694.

Sula leucogastra, 150, 470.

nebouxi, 306.

piscator, 470, 524.

sula, 524.

variegata, 306.

Surfbird, 220.

Surnia ulula caparoch, 499.

Swales, B. H., Vermivora leucobronchialis in Venezuela, 132.

Swallow, Bank, 102, 465, 475, 507. Barn, 465, 475, 486, 507.

Cliff, 102, 464, 486, 507, 662.

Coahuila Cliff, 523.

European, 416.

Jamaican Cliff, 475.

Northern Violet-green, 393, 465.

Rough-winged, 102, 507, 662. Tree, 102, 223, 332, 487, 507,

623, 662. Swan, Mute, 79, 98.

Trumpeter, 79, 220.

Whistling, 77.

Swift, Black, 222.

Chimney, 483, 500.

Jamaican Black, 475.

Vaux's, 588, 658.

White-throated, 458.

Swope, Eugene, Bobwhite (Colinus virginianus virginianus) increasing in Ohio, 323.

Syrnium varium, 499.

thalassina lepida, TACHYCINETA

Tadorna cornuta, 347.

ferruginea, 347.

tadorna, 347.

rutila, 347.

Taenioptera pyrope ignea, 706.

Tanager, Porto Rican, 477.

Scarlet, 102, 486, 506.

Western, 154, 464, 661, 698.

Tanagra sclateri, 478.

Tangara boliviana lateralis, 354.

cayana fulvescens, 354.

cyaneicollis melanogaster, 355. inornata languens, 158.

Tasmanornis, 155.

humilis archibaldi, 155.

Taverner, P. A., generic subdivision, 177.

Taylor, Walter P., the Barn Owl in Washington State, 123; the Eastern Kingbird in western Washington, 125; Doctor Suckley on the Magpie versus livestock, 126.

Taylor, Warner, some 1922 records of birds of the Madison, Wisconsin, territory, 339.

Teal, Blue-winged, 97, 471.

Green-winged, 97, 493, 554.

Telmatodytes palustris palustris, 105, 511.

Tern, American Bridled, 514.

American Gull-billed, 514.

Arctic, 135, 339.

Black, 96, 474, 650, 690.

Cabot's, 145.

Caspian, 96, 339, 649.

Common, 145, 474, 480, 493, 650.

Coues' Caspian, 514.

Gull-billed, 145.

Least, 145, 474.

Royal, 145, 474.

Sooty, 474.

Texas, birds of, 698.

Thalassarche, 600.

chlororhyncha, 678.

Thalassogeron, 600.

Thalassoica, 600.

Thrasher, Brown, 105, 144, 340,

488, 511.

Palmer's, 402, 590.

Pearly-eyed, 476.

Sage, 467.

Thraupis palmarum atripennis, 354.

Threnetes ruckeri dariensis, 158.

Thrush, Alaska Hermut, 403, 588.

Audubon's Hermit, 468, 665.

Bicknell's, 105.

Dwarf Hermit, 223.

Gray-cheeked, 105, 512.

Hermit, 489, 513, 545, 588.

Northern Varied, 665.

Olive-backed, 105, 135, 144, 512, 665.

Thrush, Porto Rican, 476.

Russet-backed, 588.

Song, 231.

Varied, 224.

Wood, 144, 512.

Thryomanes bewicki bewicki, 134, 144, 338, 340, 544.

Thryothorus ludovicianus, 105, 677. l. ludovicianus, 652, 677.

Tiaris bicolor omissa, 478.

olivacea bryanti, 478.

Tinnunculus columbarius bendirei, 680.

Titmouse, Gray, 468.

Tufted, 340, 414.

Todd, W. E. C., a review of the genus Cyanocompsa, 58-69; Spinus pinus macropterus, an addition to the A. O. U. 'Check-List,' 330; notice of his 'New Finches and Tanagers from Tropical America,' 354; notice of his 'South American Forms of Myiarchus,' 355; notice of his 'Synopsis of the genus Arremonops,' 551.

Todd, W. E. Clyde and Carriker, M. A., Jr., review of their 'Birds of the Santa Marta Region of Colombia,' 342-344.

Todus mexicanus, 474.

Tody, Porto Rican, 474.

Tolmarchus gabbi, 160. taylori, 475.

Totanus flavipes, 99, 473, 496, 577, 592.

melanoleucus, 99, 220, 473, 496, 592

'Tori,' reviewed, 564, 713.

Towhee, 143, 448, 486, 506.

Abert's, 589.

Alabama, 522.

Anthony's, 589.

Cañon, 463.

Green-tailed, 403, 464.

Nevada, 522.

Towhee, Sacramento, 523. San Francisco, 522. Spurred, 463, 661.

Townsend, Charles H., notice of his 'Birds Collected in Lower California,' 553.

Townsend, Charles W., a breeding station of the Horned Lark and Pipit on the Gaspe Peninsula, 85-87; thrush killed by Red Squirrel, 135; field identification of Ducks, 317;

Toxostoma curvirostre palmeri, 590. rufum, 105, 144, 340, 488, 511.

Trichoglossus novae-hollandae, 295, 297.

Tringa, 516, 550.

solitaria solitaria, 99, 473, 481, 496, 577.

totanus robusta, 550.

Troglodytes aëdon aëdon, 105, 511. a. parkmani, 467, 488, 664.

Tropic Bird, Yellow-billed, 470.

Tryngites subruficollis, 691. Tubinares, 596.

Turdus magellanicus pembertoni, 706.

merula merula, 231.

migratorius, migratorius, 489. philomela clarkei, 231.

Turkey, Merriam's, 454. Turnstone, Ruddy, 100, 473.

Tyler, Winsor M., courting Orioles and Blackbirds from the female bird's eye-view, 696.

Tympanuchus americanus attwateri, 674.

Tyrannus dominicensis, 536, 676. d. dominicensis, 475.

tyrannus, 125, 143, 483, 500, 658.

vociferans, 459.

Tyto alba, 518.

a. pratincola, 518.

ostologa, 160.

URANOMITRA, 525. salvani, 521, 525. Uria aalge, 563, 710. a. albionis, 563. lomvia, 563. troile, 563, 565.

Urner, Chas. A, notes on the Shorteared Owl, 30-36; Raven at Elizabeth, N. J.-a withdrawal, 127; notes from Elizabeth, N. J., 140-142.

Utah, birds of, 554.

VANELLINAE, 679. Van Oort, E. D., notice of his 'Birds of the Netherlands,' 156;

Veery, 512. Venezuela, birds of, 132. Verdin, 408.

Vermivora browni, 553. celata celata, 338, 663. celata lutescens, 223. chrysoptera, 103, 340, 423-430. crissalis, 553. leucobronchialis, 103, 132, 423-

430. peregrina, 103, 508. pinus, 103, 138, 340. rubricapilla rubricapilla, 103. r. gutturalis, 334, 663.

ruficapilla, 424. r. ruficapilla, 487, 508.

Vermont, birds of, 546, 695. Verrill, G. E., rough notes on the avifauna of Paita, Peru, 303-312.

Vidua macroura, 332. Vireo, Bell's, 127, 340.

Blue-headed, 143. Cassin's, 662. Jamaican, 476. Latimer's, 476. Least, 398, 408. Philadelphia, 507, 544. Plumbeous, 465.

Red-eyed, 487, 507, 662.

Vireo, Solitary, 103, 508. Warbling, 487, 508. Western Warbling, 465. White-eyed, 508. Yellow-throated, 103, 508. Vireo belli belli, 127, 340.

griseus griseus, 508. huttoni obscurus, 682. h. huttoni, 682.

latimeri, 476. Vireosylva calidris calidris, 476. gilva gilva, 487, 508. gilva swainsoni, 465. olivacea, 487, 662. philadelphica, 507. Virginia, birds of, 317, 536. Vultur gryphus, 310. Vulture, Black, 674.

Turkey, 147, 324, 455, 471, 481, 497, 674.

WALLACE, J. S., obituary, 722. Warbler, Adelaide's, 476.

Alaska Yellow, 223. Audubon's, 465, 663.

Bay-breasted, 104, 133, 143, 509, 543, 699.

Black and White, 143, 477, 487, 508.

Blackburnian, 104, 487, 509. Black-poll, 144, 476, 509.

Black-throated Blue, 143, 477, 487, 509.

Black-throated Gray, 395, 466. Black-throated Green, 104,

144, 488, 509. Blue-winged, 103, 138, 340, 429.

Brewster's, 103, 423-430. Calaveras, 334, 662.

California Yellow, 588.

Canada, 105, 144, 488. Cape May, 103, 477, 508.

Cerulean, 104, 138, 340.

Chestnut-sided, 487, 509.

Connecticut, 340, 510.

Warbler, Golden Pileolated, 408, 588.

Golden-winged, 103, 423-430.

Grace's, 466.

Hermit, 408, 588.

Hooded, 104, 144.

Hoover's, 523.

Lawrence's, 429.

Lucy's, 405.

Lutescent, 223.

Macgillivray's, 403, 466, 663.

Magnolia, 143, 487, 509.

Mourning, 488.

Myrtle, 103, 340, 477, 487, 509.

Nashville, 103, 424, 487.

Northern Parula, 103, 477, 508. Orange-crowned, 340, 394, 662.

Palm, 104, 509, 652.

Pileolated, 466, 663.

Pine, 104, 488, 509.

Porto Rican Yellow, 477.

Prairie, 145, 477.

Prothonotary, 146, 543.

Sycamore, 476.

Tennessee, 103, 508.

Townsend's, 408, 663.

Virginia's, 405.

Willow, 231.

Wilson's, 510.

Yellow, 137, 508, 663.

Yellow Palm, 133.

Yellow-throated, 146, 543.

Warren, Edw. R., obituary of Dr. W. W. Arnold, 574.

Washington, birds of, 123.

Water-Thrush, 147, 476, 510, 699. Grinnell's, 133, 340, 488, 510. Louisiana, 476.

Waxwing, Bohemian, 340, 507.

Cedar, 143, 487, 507, 662, 701.

Wayne, Arthur T., a third South Carolina record for the Baybreasted Warbler (Dendroica castanea), 133; Bewick's Wren (Thryomanes bewicki bewicki) on the coast of South Carolina, 134; subdivisions of the Little Black Rail (Creciscus jamaicensis), 319. Weaver-bird, Red-bellied, 354.

Weiseman, T. W., obituary of T. L. McConnell, 721.

Wetmore, Alexander, the Evening Grosbeak near Washington, D. C., 130; present status of the Carolina Wren near Washington, D. C., 134; an additional record for the extinct Porto Rican Quail-Dove, 324; notice of his 'Remains of Birds from Haiti,' 160; notice of his 'Migration Records from Wild Ducks, etc., Banded in Salt Lake Valley, Utah,' 554; review of his.'New Subspecies of Birds from Patagonia,' 766; personal mention, 380.

Wetmore, Alexander, and Peters, James L., notice of their 'New Argentine Birds,' 553

Wheatear, 544.

Whip-poor-will, 483, 500, 534, 556.

Whistler, 72.

White, T. B., notice of his 'Check-List of the Birds of New Hampshire,' 352.

Whitney, Howard, up to date names, 571.

Whittle, Charles L., some aspects of the group habit among birds, 224-240; Bay-breasted Warbler, a regular summer resident on Mount Monadnock, N. H., 699.

Whittle, Helen Granger, Richardson's Owl (Cryptoglaux funera richardsoni) in Cohasset, Mass., 325; early migratory movement of Seiurus n. noveboracensis, 699; recent experiences with nesting Catbirds', 603-606.

Widgeon, European, 650.

Widmann, Otto, notice of 'Extracts from the Diary' of, 355.

Willard, F. C., occurrence of the Barnacle Goose on Long Island, 528.

Willet, 146, 473.

Wilson, Alexander, tablet to, 575. Wilson Bulletin, The,' reviewed, 166, 359, 561.

Wilsonia citrina, 104, 144. canadensis, 105, 144, 488. pusilla chryseola, 588. pusilla pileolata, 466, 663. pusilla pusilla, 510.

Wisconsin, birds of, 130, 138, 319, 325, 339, 478-489, 537.

Witherby, H. F., review of his 'Handbook of British Birds,' 155, 550, 705.

Wolfe, Lt. L. R., the Herring Gulls of Lake Champlain, 621-626; Richardson's Owl in New York, 693.

Wood, Casey A., the Glossy Cowbird (Molothrus atronitens) in Barbados, 128.

Wood, Norman A., some notes on rare Michigan birds, 338; Whooping Crane in North Dakota, 692. Wookcock, 495.

Woodpecker, Arctic Three-toed, 337, 483, 499.

Batchelder's, 657. Chihuahua, 520.

Cuban Ivory-billed, 548.

Downy, 483, 499, 594. Florida Pileated, 520.

Gila, 394, 401.

Hairy, 222, 340, 482, 499, 594.

Lewis', 458.

Newfoundland, Downy, 520. Northern Pileated, 483, 500,

657.

Pileated, 533.

Porto Rican, 474.

Red-bellied, 446.

Red-headed 337, 458, 483, 500, 547, 701.

Woodpecker, Rocky Mountain Hairy, 457, 657.

Sierra, 520.

Sitka, Hairy, 520.

Southern Downy, 675.

Southern White-headed, 520.

Texas, 520.

Three-toed, 334.

Valdez Downy, 520.

Western Pileated, 521.

Wren, Bewick's, 134, 144, 338, 340, 356, 544.

Carolina, 105, 134, 145, 408, 467, 652, 677.

House, 105, 356, 511.

Long-billed Marsh, 105, 511.

Rock, 133, 467.

San Martin Rock, 523.

Short-billed Marsh, 652, 700.

Western House, 467, 488, 664. Western Winter, 223, 664.

Winter, 105, 488, 511.

XANTHOCEPHALUS xanthocephalus, 461, 659.

Xenopicus albolarvatus gravirostris, 520.

Yellow-legs, Greater, 99, 220, 473, 496, 592.

Lesser, 99, 473, 496, 577, 592.

Yellow-throat, Florida, 676.

Maryland, 104, 144.

Northern, 488.

Tule, 523, 588.

Western, 466, 663.

Yunnan, birds of, 556.

ZAMELODIA, 523.

ludoviciana, 102, 506.

melanocephala, 464.

Zeledón, José C., In Memoriam, 682.

Zenaidura macroura carolinensis, 100, 240–244, 497, 532, 674.

macroura caurina, 517.

macroura marginella, 455.

- Zenaidura m. peninsulari, 710. Zenker, George, obituary, 184. Ziegler, G. Fred, Jr., notes on a Purple Martin colony, 431-436. Zonotrichia albicollis, 102, 485, 505.
- Zonotrichia leucophrys leucophrys
  - l. gambeli, 590, 660.
  - l. leucophrys, 463. querula, 140, 412.

## ERRATA.

- Page 131, line 30, for "mislabeled," read unlabeled.
  " 132, " 39, " "lands," " sands.
- on.
- " "season," 132, 8, " "Koo," 66 66 163, 25,
- Koo.
- " "Saxicola," 44 30, 544,
- Oenanthe. " "Leonard Steineger" read Leonhard Steineger. 576. 9.

## DATES OF PUBLICATION.

- Vol. XXXIX, No. 4-Oct. 3, 1922.
- " XL, No. 1-Jan. 10, 1923.
- XL, No. 2-April 11, 1923.
- XL, No. 3-July 10, 1923.

